



Protein Design




Protein Design



The Five Categories of CASP Targets

1. CM/E (Comparative Modeling / Easy) ←
Structural homolog found by BLAST.
2. CM/H (Comparative Modeling / Hard) ←
structural homolog found by 5 rounds of PSI-BLAST.
3. FR/H (Fold Recognition / Homology) ←
Structural comparison to PDB finds a structure found by
PSI-BLAST.
4. FR/A (Fold Recognition / Analogy) ←
Finds a similar structure, no evidence of sequence
homology.
5. NF (New Fold) ← nothing “similar” in the PDB


CASP



CASP Questions

1. Are the models produced similar to the corresponding experimental structure?
2. Is the mapping of the target sequence onto the proposed structure (i.e. the alignment) correct?
3. Have similar structures that a model can be based on been identified?
4. Are the details of the models correct?
5. Has there been progress from the earlier CASPs?
6. What methods are most effective?
7. Where can future effort be most productively focused?

Hubbard Plots



Wiley InterScience :: Journal Issue - - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Media Print Mail

Address: <http://www3.interscience.wiley.com/cgi-bin/jissue/106558999> Go Links

My Profile Log In

HOME
ABOUT US
CONTACT US
HELP

Home / Chemistry / Biochemistry

PROTEINS
Volume 53, Issue S6
Supplement: Fifth Meeting on the Critical Assessment of Techniques for Protein Structure Prediction
Copyright © 2003 Wiley-Liss, Inc., A Wiley Company
[Save Title to My Profile](#) [Set E-Mail Alert](#)
Go to the homepage for this journal to access trials, sample copies, editorial and author information, news, and more.

SEARCH All Content
 Publication Titles
Advanced Search
Search Tips
Acronym Finder

SEARCH IN THIS TITLE
Proteins: Structure, Function, and Genetics

All Fields
Go

SEARCH BY CITATION
Vol: Issue: Page: Go

SPECIAL FEATURES
Other Resources
Structure Notes

NOW AVAILABLE

TABLE OF CONTENTS

Volume 53, Issue S6, Pages 333-595 (2003)

Editorial


Fifth Meeting on the Critical Assessment of Techniques for Protein Structure Prediction (p 333)
Eaton E. Lattman
Published Online: 15 Oct 2003
DOI: 10.1002/prot.10580
[Abstract](#) | [Full Text: HTML](#), [PDF \(Size: 28K\)](#)
[Save Article](#)

Introduction


Critical assessment of methods of protein structure prediction (CASP)-round V (p 334-339)
John Moult, Krzysztof Fidelis, Adam Zemla, Tim Hubbard
Published Online: 15 Oct 2003
DOI: 10.1002/prot.10556
[Abstract](#) | [References](#) | [Full Text: HTML](#), [PDF \(Size: 71K\)](#)
[Save Article](#)

start 260.841.ruc2.4 Lecture2 lec6 Wiley InterScience :: ... 10:10 PM

Distribution of Target Difficulty



Distribution of Target Difficulty






Overall Model Quality Assessment

Venclovas et al (2003): "A large sample of possible structure superpositions of the model on the corresponding experimental structure is generated by superposing all sets of three, five, and seven consecutive Ca along the backbone (each peptide segment provides one superposition). Each of these initial superpositions is iteratively extended, including all residue pairs under a specified threshold in the next iteration, and continuing until there is no change in included residues. The procedure is conducted by using thresholds of 1, 2, 4, and 8 Å, and the superposition that includes the maximum number of residues, is selected for each threshold ... GDT_TS is then obtained by averaging over the four superposition scores for the different thresholds:

$$\text{GDT_TS} = (\text{N1} + \text{N2} + \text{N4} + \text{N8}) / 4$$

CASP5 Progress





CASP Problem Areas and Bottlenecks

1. Alignment of a sequence onto a template fold.
2. Model refinement - improving accuracy of initial models.
3. Accurately modeling regions of insertion and deletion relative to a template structure.
4. Improved fold recognition, particularly for analogous, analogous/new fold targets.
5. Improved New Fold methods (for recognizing new folds).

Always the same ...

Applications of Structure Prediction



Baker and Sali, Science 294 (2001)

Ten Most Wanted



TEN MOST
WANTED

CASP 6

90 Domains assessed:

CM / E	→	25
CM / H	→	18
FR / H	→	21
FR / A	→	16
NF	→	9